



**NS 2..21**




**RM 2 / 6**



Linear drive	Page *	NS	ID No.	l [mm]	b [mm]	h [mm]	g
<b>Sigma 70</b>	E	2	10557	16	10	4	M5
<b>Sigma 90</b>	E	2	10557	16	10	4	M5
		21	22955	20	10	5	M6
<b>Sigma 120</b>	E	RM2	15370	10	6	4	M4
		19	10559	18	14	6	M8
		20	10560	20	14	8	M8
<b>Sigma 160</b>	E	10	16499	20	13	6	M6
		6	10561	25	18	8	M10
		RM6	15372	18	10	8	M6

**BL 1 / 2**



Linear drive	BL	ID No.	l1 [mm]	l2 [mm]	b [mm]	h [mm]	Bfs	D [mm]	d [mm]	t [mm]
<b>Sigma 70</b>	11	25267	70	50	13	12	M6	11	6,6	6,8
<b>Sigma 90</b>	1	10552	70	50	15	17,5	M6	11	6,6	6,8
<b>Sigma 120</b>	2	10553	70	50	15	20	M6	11	6,6	6,8
<b>Sigma 160</b>	2	10553	70	50	15	20	M6	11	6,6	6,8

\* For further information on pages C – E, see page Z1  
 Bfs = Mounting screw DIN 912 / ISO 4762